45 マロムノ ロムル


BEST AVAILABLE COPY

PCT/EP 00/05684



Europäisches **Patentamt**

Edichosu Patent Office Office curapéen des brevels



Bescheinigung

Certificate

Attestation

ED 00/0288A

stan Bists bezelchneton europäischen Patentenmel-dung überein.

Die angehefteten Unterla-gen stimmen mit der are exact copies of the ursprünglich eingereichten European patent application Fassung der auf dem näch-describad en the following page, as originally flied.

Les documents fixés à cette attestation sont conformat à la version initialement dépende de la demande de brevet bado enjatio

Patent application No. Demande de brevet nº Patentanmeldung Nr.

99305796.7

ピアド

PRIORITY SUBMITTED OR TEXNSMITTED IN (A) OR (A) COMPLIANCE WITH BULE 17.1(A) OR (B)

Der Président des Europäischen Patentinits. Im Auftrag

For the Premient of the European Patent Office Le Président de l'Office auropéen des breuets p.b.

I.L.C. HATTEN-HECKMAN

DEN HAAG, DEN THE RAGUE,

06/10/00

LA HAYE, LE

EPNEPOOEB Form

1014 - 02.91

EXHIBIT

NR.467 5.4

9

Europäisches Pateniamt European Patent Office Office européen des brevets

Blatt 2 der Bescheinigung Sheet 2 of the certificate Page 2 de l'attestation

Anmaldung Nr.: Application no.. Demands n°

99305796.7

Antraidalag. Date of hillings Date da dápôs:

ning 22/07/99

Anmader Applicatus) Demandeur(s): UN(LEVER PLC London EC4P 480 UNITED KINGUOM

Bazaichnung der Erfindung. Tilla of the Invention: Titre de l'invention. Lubricant composition for conveyor belts

in America genomines Priorial(an) / Priority(82) ciaimed / Priorité(a) revendiquée(s)

Siali. Sida Paya Tag.

Akienzeichen: File no Numero de dépôt

International Patentidas sinitation international related to the control of the c

Am Anmeidelag Denannis Verpagetared of filling. AT BEICH/CY/DEDK/ES/FI/FR/GB/GR/IENT/LI/LU/LIC/NUPT/BE Elate contractants designated at date of filling. AT BEICH/CY/DEDK/ES/FI/FR/GB/GR/IENT/LI/LU/LIC/NUPT/BE

Bamerkungan Remarks Remarques:

EPANEPOADER FARM 1012

, 29

CHAILPI PHILIPPI

31 1840NDC30



1

Lubricant composition

Field of the invention

The present invention relates to lubricant solutions

suitable for producing a lubricant film. More particularly,
the invention relates to such lubricant solutions and their
use as a lubricant for the lubrication of conveyor belts.
These conveyor belts are generally used for the transport
of glass, plastic or cardboard containers, particularly
plastic containers of polyethylene teraphthalate (FET) or
polycarbonate, and metal cans.

Background of the invention

Known conveyor belt lubricants are employed in applications in which good gliding contact between solid surfaces, for instance glass and metal, or plastic and metal must be ensured.

These applications include bottle filling and conveying plants, where the lubricants are applied to the conveyor belts to ensure the trouble-free conveyance of buttles on the belt. In many known systems, a soap such as potashbased soft soap is used as the lubricant.

As a substitute for the soap-based lubricants, a variety of synthetic conveyor belt lubricants including certain amine compounds are being used. These synthetic lubricants have been described in, for example, EP-A-372, 628, US-A-5,073,280 and EP-A-767,825.

These conveyor belt lubricants are generally supplied as concentrates and use concentrations of such concentrates

Received 22-07-19 05:26am

From-11 104608240

THE PATENT OFFICE

Page DE

. 25

RUSCHKE +49 89 989358



10





Z

are usually prepared by applying typical dilution rates of 0.2-1.0% by weight concentrate in water depending on the friction requirement and the water type.

Such aqueous belt lubricants having a use concentration of the active lubricating ingredients of significantly less than 1% by weight have been satisfactorily applied for many years.

On the other hand, the application of these aqueous lubricants has also resulted in high water usage rates and relatively high effluent costs for the user.

Furthermore, when used as conventionally intended these aqueous lubricants flow off the conveyor track surface treated therewith, resulting in a waste of chemical and water, and causing a dispery floor surface which may constitute a hazard to operators working in the immediate environment.

Lubrication in a wide range of lubricating applications involving moving metal parts including metal chaping

20 operations, such as drilling, cutting and drawing, by means of the deposition of a lubricant film has been known for many years. For instance, US-A-5,549,836 discloses a mineral oil-free aqueous lubricant composition useful for producing a lubricant film and suitable for use in the above-montioned types of lubricating applications involving moving metal parts.

We have now surprisingly found that certain specific liquid formulations suitable for producing a "dry" lubricant film, 30 can be advantageously used as a conveyor bolt lubricant, whereby the above-described problems observed when using

TO-THE PATENT OFFICE PASS



OKPERSOR TE



the aqueous conveyor belt lubricants of the prior art are effectively overcome.

In particular, we have found that such liquid formulations have both good lubricating properties and adequate cleaning 5 characteristics,

In this connection, a "dry" lubricant film is defined as a lubricant film which remains on the surface onto which it is applied as a liquid, and which, consequently does not flow off, or is easily removable from, said surface.

10

20

30

Definition of the invention

Accordingly, the present invention provides the use of a liquid composition suitable for producing a "dry" lubricant film on a surface by discontinuous application of said 15 composition, for lubricating conveyor belts, wherein the liquid composition can also be used for continuous application to a conveyor belt surface, with or without further dilution with water, to remove incidental spillages of extraneous material from the conveyor belt surface without loss of the required lubricity. The required lubricity is defined to be the lubricity which ensures trouble-free operation of the conveyor belt

- . 25 In another aspect, the present invention provides a method of lubricating a conveyor belt, comprising the steps of
 - formulating a liquid composition suitable for producing a "dry" lubricant film on a surface by discontinuous application of said composition, said composition also being suitable for continuous application to a conveyor belt surface, with or

Received ZP-07-99 OF:ZEam

concerped.

Fren-31 104505380

TO-THE PATENT OFFICE

Pate 11



25.APR.2003 14:22







without further dilution with water, to remove incidental spillages of extraneous material from the conveyor belt surface without loss of the required lubricity, and

(ii) applying said liquid composition to the conveyor 5 belt as a thin "dry" lubricant film.

Detailed description of the invention

The liquid composition of the present invention was found to be very suitable for lubricating conveyor belts. For establishing a "dry" lubricant film on the conveyor belt, only a minor amount of said liquid composition is needed. Typically an amount of 2-20 ml of the liquid composition is sufficient when applied every 20 minutes and 15 fed to a normal size single conveyor belt. Said liquid composition is applied to the conveyor belt in undiluted form, either manually or by means of an autometic applicator.


20 In contrast to the aqueous conveyor belt lubricants of the prior art, the liquid composition of the present invention does not need to be fed continuously to the conveyor belt treated therewith,

In this connection, the friction coefficient (μ) being a 25 measure for the friction between the containers (e.g. bottles, carton boxes, metal cans) transported by the conveyor belt and the belt surface, is of importance-It has been observed that the friction coefficient obtained after coasing the application of the liquid material of the

invention to the surface of the belt, is sufficiently low

TO-THE PATENT OFFICE

Page 12



for a much longer time period than when using the aqueous conveyor belt lubricants of the prior art. In other words, the durability -being a measure of the time period during which the liquid of the invention adequately lubricates the conveyor belt after cessation of the application thereof to said belt- is much better for the

When spillages of the contents of the containers transported by the treated conveyor belt would occur, said conveyor belt can be adequately cleaned by taking one or more of the following actions:

- . raising the feed rate of the liquid of the invention;
- adding Water to said liquid.

liquid composition of the invention.

15

The Liquid composition

The liquid composition of the invention may be effectively water-based. In that case, it comprises an equeous phase which suitably constitutes about 10-99 % by Weight,

- 20 preferably 50-95% by weight, of the overall composition! Alternatively, the liquid of the invention may be substantially non-aqueous, and comprise less than 10% by waight of water.
- If said liquid is water-based, it preferably contains from . 25 1-15% by weight of a volatile water-miscible solvent such as methanol, ethanol and isopropanol, as an aid in assisting the evaporation of the water from the lubricant IIIm deposited on the conveyor belt when using the liquid.
 - 30 When present, the solvent forms part of the aqueous phase.

From-31 104605280







If the liquid of the invention is water-based, it may be desirable to incorporate an effective amount of an antirust additive.

In order to obtain adequate disinfection in case of spilleges, it may also be desirable to incorporate a biocide.

Silicone oil

The liquid composition of the invention may destrably comprise a silicone oil and an aqueous phase. This type of liquid composition is effectively a silicone emulsion in water.

Favourable results in terms of durability were obtained when this liquid composition was applied on conveyor belts used for transporting containers selected from polyethylene teraphthalate bottles, polycarbonate bottles, laminated cardboard containers and metal cans made from steel and aluminium. Furthermore, for obtaining most favourable results with this type of liquid, said conveyor belts are preferably made of plastic, polyacetal or polymide.

This liquid composition of the invention preferably comprises:

10-99% by weight of the aqueous phase; and

25 1-55% by weight of the milicone oil.

More preferably, the concentration of the milicone oil in this liquid composition is 10-40% by weight.

suitable silicone oils are polydimethyl siloxane fluids having Viscosities of from 1000 to 30.000 centistokes.

TO-THE PATENT OFFICE

NR.467

5

PATER PRIVE

ST TRAFFICE



7

The silicone oil which is homogeneously dispersed in the aqueous phase, is particularly suitable for assisting penetration of the liquid composition of the invention into difficult to reach areas when applied to the conveyor belt.

Vegetable oil/mineral oil

Alternatively, the liquid composition of the invention may desirably comprise as oil selected from vegetable pile, mineral oils and mixtures thereof, and, optionally, water. This type of liquid composition preferably comprises: 10-90% by weight of the oil, and 10-50% by weight of water. This preferred type of liquid which is offectively an emulsion of the water in the oil, was found to be very suitable for lubricating conveyor belts used for 15 transporting any type of containers. Best results were obtained when said belts were used for transporting containers selected from glass bottles, steel and aluminium cans, cardboard containers, plastic bottles and plastic

Desirably, the oil is homogeneously dispersed in the aqueous phase.

crates. Said conveyor belts may be made of any type of

Most preferred for use in the liquid of the invention are 25 vegetable cils such as rapessed cil, soya cil, palm cil, olive oil, sunflower oil and mixtures thereof. Synthetic oils such as glyceryl trioleate are also preferred as a constituent of said liquid. Vegetable oils are particularly desirable in view of their

30 environmental acceptability.

Received 22-07-99 PP:28ag

20 material.

Prom-21 104806280

TOTAL PATENT OFFICE









Polyhydria alcohol

particularly when intended for use on conveyor belts made of plastic material such as those made of polyacetal and polyamide, the liquid of the invention may suitably comprise a polyhydric alcohol. This type of liquid was found to show good lubricating performance when applied on this type of belt which may be used for transporting any type of container. However, this liquid may also be used on steel tracks with certain types of containers.

- 10 This liquid of the invention may be either substantially hon-aqueous or contain 10-80% by weight of water. It preferably contains the polyhydric alcohol in an amount of at least 20% by weight.
- Suitable polyhydric alcohol are glycerine (1.e. propane 1,2,3-triol), propyleme glycol and ethylene glycol.

PTFE

In various ambodiments of the invention in which the liquid composition includes an equeous phase, it is particularly

- preferred that said liquid composition includes polyretraffuorcethylene (PTTE) rasin, in the form of an ultrafine particle dispersion of the resin incorporated in the aqueous phase.
- Particularly, when said liquid composition comprises a vegetable and/or mineral oil, or a polyhydric alcohol (see above), it is preferred to aid said PTFE resin to this liquid composition. In such cases, the PTFE considerably improves the lubricity and wear proporties of the "dry" lubricant film produced by the liquid of the invention, when in use.

11.000

U2190

merith, relike,

סב>ממסאמד זכ



9

Preferably, the PTFE will constitute 2-25% by weight, more preferably 2-10% by weight, of the liquid composition.

Surfactant

- 5 A wide variety of surfactants solected from amionic, nonionic, cationic and amphoteric surfactants, may be effectively used in the lubricant composition of the present invention.
- It is believed that these surfactants improve the stability of the liquid of the invention particularly when it contains an aqueous phase. These surfactants may also improve the chemical competibility of the liquid of the invention with the construction material of certain containers transported by the belts treated with said
- 15 liquid. In particular, it was found that amionic surfactants may improve the PET compatibility of a liquid composition containing a polyhydric alcohol such as glycering.
- 20 The concentration of the surfactant material in the liquid of the invention is preferably in the range of 0.1-10% by weight, more preferably 0.2-6% by weight.
- Further information on this surfactant material can be found in "Surface Active Agents", Vol.I, by Schwartz & Perry, Interscience 1949, and "Surface Active Agents", Vol. II, by Schwartz, Parry & Berch (Interscience 1959).
- A particularly suitable type of surfactant material is nonionic surfactant. Nonionic surfactants are well-known in the art. They normally consist of a water-solubilising

Racelyad 22-07-88 DE128an

Pras-31 104606280

70-THE PATENT OPPICE PAGE 17



g mun'halve men e





10

polyalkoxylene or a mono- or di-alkanolamide group in chamical combination with an organic hydrophobic group derived, for example, from alkylphenols in which the alkyl group contains from about 6 to about 12 carbon stome, dialkyl phenols in which each alkyl group contains from 6 to 12 carbon atoms, primary, secondary and tertiary aliphatic alcohols (or alkyl-capped derivatives thereof), preferably having from 8 to 20 carbon stoms, monocarboxylic acids having from 10 to 24 carbon atoms in the alkyl group 10 and polycky propylenes. Also common are Tatty acid monoand dialkanolamides in which the alkyl group of the fatty ac14 radical contains from 10 to about 20 carbon atoms and the elkoxyl group having from 1 to 3 carbon atoms. In any of the mono- and di- alkanolamide derivatives, optionally there may be a polyoxyalkylene moiety joining the latter groups and the hydrophobic part of the molecule. In all polyalkexylene containing surfactants, the polyalkoxylene moiety preferably consists of from 2 to 20 groups of ethylene oxide or ethylene oxide and propylene 20 oxide. Among the latter class, particularly preferred are those ethoxylated meniopics which are the condensation products of fatty alcohols with from 9 to 15 carbon atoms condensed with from I to 11 moles of ethylene oxide. Examples of these are the condensation products of C11-C13 alcohols with (say) 3 to 7 moles of ethylene exide. 25 Another class of suitable nonionics include the alkyl polysaccharides (polyglycosides/oligosaccharides), such as described in US-A-3,640,998; US-A-3,346,558 and US-A-4,223,129.

30



ST TREEDS



11

Examples of anionic surfactants suitable to be included in the lubricant composition of the present invention, are alkali metal, alkaline earth metal, or ammonium salts of alkylbanzene sulphonates having from 10 to 18 carbon atoms 5 in the alkyl group, alkyl and alkylether sulphates having from 10 to 24 carbon atoms in the alkyl group, the alkylether sulphates having from 1 to 5 ethylene oxide groups, and olefin sulphonates prepared by sulphonation of C10-C24 alpha-olerina and subsequent neutralisation and hydrolysis of the sulphonation reaction product.

Use

10

Dispensing equipment developed for dosing the liquid composition of the invention has been designed to apply the liquid directly to the surface of the conveyor belt. Since relatively expensive nest product is applied, this equipment has been developed such that any apillage of liquid material (e.g. by flowing under gravity away from the treated surface or dripping down onto the floor)) is 20 avoided so as to minimise wastage of said liquid.

Various types of applicator have been developed for feeding the liquid composition onto the conveyor belt treated therewith.

- . 25 If the liquid is a stable low viscosity material -such as an aqueous silicone oil containing product- them it can be accurately dosed by a metered disphragm pump. Such stable low-viscous liquids of the invention can be adequately dispensed using a brush applicator, including a 30 brush that has internal channels through which liquid solution can be pumped into the bristles thereof. When in
- Received 22-07-88 09:28am

ت. د ده



5

חנונת, רחו. טבר.

TOTOLOGICAL P. COLO

12

use, the motion of the conveyor belt spreads the lubricant over the surface thereof. This dispensing method was found to be accurate and effective, especially when used for desing low viscous material onto single conveyor belts.

Particularly if the liquid of the invention contains PIFE, it is a viscous product which usually requires some degree of agitation to help and keep the PIFE particles in suspension. As a consequence, rather special measures are needed to be taken in order to adoquately dispense said liquid at the point of use.

So as to achieve good dispensing performance if the liquid of the invention is viscous, it was found that so-called "flicker" non-contact applicators can be suitably used.

Those applicators are also suitable for use on multiple conveyor belts.

The "flicker" unit contains a motor-driven rotating tubular brush, which picks up liquid from a sump via transfer rollers. A steel plate mounted against the brush flicks the bristles as the brush rotates, to generate a mist of droplets of liquid material directed on to the surface of the conveyor belt so as to cost the belt.

As a result, an even coverage of the conveyor belt is obtained, which is not affected by variation of the lubricant viscosity.

25

איכט.

רבע וארן האדונה



או ומוסטבסם ד. עורכי



13

In contrast to conventional dilute lubricants of the prior art, the lubricant of the invention is usually desad sparingly with long intervals between desage.

For instance, the "flicker" applicator described above dispenses about 0.1 grams of lubricant per second.

Running this unit for 5 seconds every 10 minutes was found to be sufficient to keep a 640 bottles per minute conveyor belt line in operation without any problems.

When using brush applicators, a higher volume of lubricant is generally needed than with "flicker" units, so as to ensure amouth operation of the conveyor bolt. On the other hand, since the brush also acts as a reservoir of the liquid, longer dosing intervals are possible between dosings of liquid product to the brush applicator.

Optional ingredients

Further optional ingredients of the lubricant composition of the present invention include water softeners such as ethylenediamine tetragestic acid (EDTA) and nitrilotriacetic acid (NTA), dyes, odorants, such as lemon oil and the like, antifreeze additives to improve storability under freezing conditions, preservatives such as formaldohydo to inhibit mould growth, and buffers to optimize the pH to 8 value in the range of 3-10, preferably 4-9.

The present invention will now be further illustrated by the following non-limiting examples.

Received 23-07-89 D9:2845

ald charges and

25

From-91 104608280

TO-THE PATENT OFFICE

Dage :



5



10

Example 1,2, 9, A and B

Three liquid compositions according to the invention having the following compositions were prepared by thoroughly mixing its ingredients:

	Example 1	% by weight
	Water	84.2
	Dow Corning 346	15.0
	Acatic acid (800)	0,6
0	Formaldehyde solution	(40%) 0.2

Example 2	by weight
Sunflower oil	55, D
Waler	40.0
PTFE-powder	4.8
Alkylamine	0.2
	Waler PTFE-powder

	Example 3	e by weight
	Glycarine	88.0
20	Dowfax 3BZ	2.0
	PTFE-dispersion TE 3667N	10.0

wherein: Bow Corning 346 - Silicone oil emulsion
Dowfex 3B2 - anionic surfactant

25 PIFE-dispersion TE 3667N - 608 PIFE in 40% liquid, ex Univat Dupont.

The performance, particularly the durability, or these liquids were tested by applying them on to a single conveyor belt, using a brush applicator for the liquid of example 1

EM(Ved EE-D7-89 D8:28am

Freu-31 104608200

TO-THE PATENT OFFICE

Page 22





10





THE THEORETE SE



15

respectively a "flicker" applicator for the other two liquids .

The conveyor belt used in the test was made of polyacetel material and transported PET bottles. The liquids were fed to the conveyor bolt, in an amount of 10 ml.

In order to test the durability of the tested liquids of the invention, several measurements of the friction coefficient (µ) were performed using a strain gauge mater. (Correx-type) These measurements were carried out at the time of applying the liquids, and subsequently 10 minutes later, 20 minutes latar and 30 minutes later.

The measurements of μ were carried out by holding a bottle stationary against the motion of the conveyor belt using the strain gauge meter. The friction coefficient (μ) is defined as the force by the containers held against the movement of the conveyor belt divided by the weight of the containers.

For reasons of comparison, the durability of two aqueous lubricants of the prior art was also tested, using the same 20 conveyor belt configuration.

The composition of these known aqueous lubricants is shown balaw:

25	Example A	(まいて)
	Water	88.5
	Carboxylated alkyl ethoxylate	5.0
	Alkyl ethoxylate	3.0
	Acetic acid glacial	1.5
30	Alkyl diamine	5.0

Received 22-07-09 08:28am

Frem-91 104608280

TO-THE PATENT OFFICE

Page 71





5





AT TOMORDON



16

Example 9	(942)
Water	67.8
Potassium hydroxide (50%)	6.9
EDTA acid	1,3
Fotty sold	14,0
Alkane sulphonate	7.0
Preservative	3.0

These known equeous lubricants were diluted with water to 10 obtain 0.5% wt use colutions thereof, and these use solutions were applied to the conveyor belt in an amount of 100 ml.

The results of the durability tests for both the above three liquids of the invention (Examples 1,2 and 3) and the aqueous lubricants of the prior art (Examples A and B) are shown in the following table:

Friction coefficient (4)

20 (on polyacetal belt transporting PET-bettles)

	Time (mln.) after	e (min.) after			
	applying liquid/lubr.	Ď	סנ	20	30
	Example 1	0.10	0.115	0.115	0.115
	Example 2	0.07	0.075	0.084	0.085
25	Example 3	0.07	0.07	0.07	0.08
	Example A	0.14	after S	minutes-	>0.2
	Example B	0.13	0.13 a	fter 11 m	inutes=>0.2

It can be seen that the friction coefficients obtained

30 With the liquid compositions of the invention remain below

0.12 during 30 minutes, which is quite adequate for good

>, 04



JI AUTOCE



17

operation of the conveyor belt. On the other hand, when applying the aqueous lubricants o the prior art it was observed that the measured friction coefficients increased rapidly -i.e. after 5 minutes respectively 11 minutes - to unacceptably high values of more that 0.2. It can be concluded that the durability of the tested liquids of the invention is much better when applied on a conveyor belt made of polyacetal and transporting PEI-bottles.

10

In addition the durability of the liquid composition of Example 2 was tested when applied on a single conveyor belt made of steel material and transporting glass bottles. The same testing method was used as for the tests on the polyacetal conveyor belt transporting PET-bottles.

Furthermore, the same aqueous lubricants of the prior art wars used for the comparative tests.

The following results were obtained:

20

. 25

Friction Coefficient (µ)

(on a steel belt transporting glass bottles)

Time (min.) after

Applying liquid/lubr. 0 10 20 30

Example 2 0.10 0.10 0.10 0.10

Example A 0.19 after about 2 minutes: >0.2

Example B 0.16 after about 5 minutes: >0.2

Also in this case, it can be concluded that the durability of the liquid of the invention is much better than that of the aqueous lubricants of the prior art.

Received 72-07-08 Uliffiam

Fram-91 104596280

TO-THE PATENT OFFICE Pare 25

MUNIA, MILET



16

CLAIMS

- 1. Use of a liquid composition suitable for producing a "dry" lubricant film (as defined herein) on a surface by discontinuous application of said composition, for lubricating conveyor belts, wherein the liquid composition can also be used for continuous application to a conveyor belt surface, with or without further dilution with water, to remove incidental spillages of extraneous material from the conveyor belt surface without loss of the required lubricity.
- 2. Use according to claim 1, wherein the liquid composition comprises a silicone oil and an equeous phase.
- 3. Use according to claim 2, wherein the liquid composition comprises:
- (a) 10-999 by weight of the aqueous phase; and
- (b) 1-55% by weight of the silicone oil.
- 4. Use according to claim 1, wherein the liquid composition comprises an oil selected from vegetable oils, mineral oils and mixtures thereof,
- 5. Use according to claim 4, wherein the liquid composition additionally comprises an aqueous phase.
- 5. Use according to claim 5, wherein the liquid composition comprises:
- . 10-90% by weight of the oil selected from vegetable oils, mineral oils and mixtures thereof; and





45 · CB



OF TOMORDO




19

- 10-50% by weight of water.
- 7. Use according to claim 1, wherein the liquid composition comprises a polyhydric alcohol.
- 8. Use according to claim 7, wherein the polyhydric alcohol is selected from the group consisting of glycerine, propylene glycol, and ethylene glycol.
- 5. Use according to claim 7 or 8, wherein the polyhydric alcohol is present in the liquid composition at a concentration of at least 20% by weight.
- 10. Use according to any of claims 4-11, wherein the liquid composition includes an aqueous phase, and wherein polytotrafluoroothylene (PTPE) resin is present in said aqueous phase in the form of an ultrafine particle disparsion of the rasin.
- 11. Use according to claim 10, wherein the PTFE constitutes 2-25% by weight of the liquid composition.
- 12. Use according to any of claims 1-11, wherein the liquid composition includes a surfactant material selected from the group consisting of anionic surfactants, nonionic surfactants, cationic surfactants, amphoteric surfactants, and mixtures theref.
- 13. Use according to claim 12, wherein the surfactant material is present in the composition at a concentration of 0.1-100 by weight.

- 697

47·49



שנשמשמע בני



20

- 14. Use according to any of claims 1-13, wherein the liquid composition is applied onto the surface of a convoyor belt using a "flicker" non-contact applicator, containing
- a motor-driven rotating tubular brush which pich up said liquid composition from a sump via transfer rollers, and
- a steel plate mounted against the brush which flicks the brisles as the brush rotates, to generate a mist of droplets of liquid material directed onto the surface of the conveyor belt.
- 15 Wethod of lubricating a conveyor belt, comprising the steps of
- (1) Formulating a liquid composition suitable for producing a "dry" lubricant film (as defined herein) on a surface by discontinuous application of said composition, said composition also being suitable for continuous application to a conveyor belt surface, with or without further dilution with water, to remove incidental spillages of extraneous material from the conveyor belt surface without loss of the required lubricity, and
- (ii) applying said liquid composition to the conveyor belt as a thin "dry" lubricant. film.

כם: כש עבעויים ביים

אמוואן יאזואם.



21

ABSTRACT

Use of a liquid composition for lubricating conveyor belts is provided, said liquid composition being suitable for producing a "dry" lubricant film on a surface by discontinuous application thereof, wherein the liquid composition can also be used for continuous application to a conveyor belt surface, with or without further dilution with water, to remove incidental spillages of extraneous material from the conveyor belt surface without loss of the required lubricity.

This liquid composition was found to exhibit remarkably good durability.

TOTAL P.29

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:	
☐ BLACK BORDERS	
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING	
☐ SKEWED/SLANTED IMAGES	
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS	
☐ GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY	
OTHER.	

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.